


Building Circuit Protection



PRICE LIST
w.e.f. 01st Dec., 2015

**LATEST.
SAFEST.**

EURO-II Features




Safety Terminals -

To avoid improper cable termination, the safety terminals guide the cable towards the cage terminal for systematic termination

Bi Stable Clip -

Every device is provided with a dual position DIN rail clip, so it becomes much easier to change a device from a device bank connected to a bus-bar, without disturbing the existing wiring



Large Cable Terminals -

Suitable for copper and aluminum cables, these terminals are compatible with cables upto 35mm² cross section area



Cooler Operation -

Grooves provided on outer body, so that when individual poles are placed adjacent to each other in a distribution board it forms a very effective channel for better air circulation, resulting into a cooler operation



MCB



'B' Series SP MCB

(In accordance with IS/IEC 60898-1) 240V, 50Hz, 10kA Suitable for lighting and other domestic loads

Rating	SP Cat. No.	MRP ₹
6-32A	DHMGBSPF006-032	202/-
40A	DHMGBSPF040	430/-



'C' Series MCB

(In accordance with IS/IEC 60898-1) 240/415V, 50Hz, 10kA Suitable for Motor and other Inductive loads

Rating	SP Cat. No.	MRP ₹	SPN Cat. No.	MRP ₹	DP Cat. No.	MRP ₹
0.5-5A	DHMGCSPF0x5-005	310/-	DHMGCSNF0x5-005	685/-	DHMGCDPF0x5-005	795/-
6-32A	DHMGCSPF006-032	230/-	DHMGCSNF006-032	625/-	DHMGCDPF006-032	640/-
40A	DHMGCSPF040	445/-	DHMGCSNF040	925/-	DHMGCDPF040	990/-
50A	DHMGCSPF050	500/-	DHMGCSNF050	1,000/-	DHMGCDPF050	1,120/-
63A	DHMGCSPF063	500/-	DHMGCSNF063	1,000/-	DHMGCDPF063	1,070/-
Rating	TP Cat. No.	MRP ₹	TPN Cat. No.	MRP ₹	FP Cat. No.	MRP ₹
0.5-5A	DHMGCTPF0x5-005	1,020/-	DHMGCTNF0x5-005	1,500/-	DHMGCFPF0x5-005	1,600/-
6-32A	DHMGCTPF006-032	980/-	DHMGCTNF006-032	1,325/-	DHMGCFPF006-032	1,400/-
40A	DHMGCTPF040	1,435/-	DHMGCTNF040	1,895/-	DHMGCFPF040	1,925/-
50A	DHMGCTPF050	1,510/-	DHMGCTNF050	1,975/-	DHMGCFPF050	2,020/-
63A	DHMGCTPF063	1,510/-	DHMGCTNF063	1,975/-	DHMGCFPF063	2,020/-



'D' Series MCB

(In accordance with IEC 60898-1) 240/415V, 50Hz Suitable for high inrush current loads.

Rating	SP Cat. No.	MRP ₹	DP Cat. No.	MRP ₹
0.5-5A	DHMGDSPF0x5-005	320/-	DHMGDDPF0x5-005	865/-
6-32A	DHMGDSPF006-032	280/-	DHMGDDPF006-032	710/-
40A	DHMGDSPF040	500/-	DHMGDDPF040	1,065/-
50A	DHMGDSPF050	510/-	DHMGDDPF050	1,120/-
63A	DHMGDSPF063	510/-	DHMGDDPF063	1,120/-
Rating	TP Cat. No.	MRP ₹	FP Cat. No.	MRP ₹
0.5-5A	DHMGDTPF0x5-005	1,315/-	DHMGDFPF0x5-005	1,610/-
6-32A	DHMGDTPF006-032	1,080/-	DHMGDFPF006-032	1,445/-
40A	DHMGDTPF040	1,575/-	DHMGDFPF040	1,985/-
50A	DHMGDTPF050	1,680/-	DHMGDFPF050	2,155/-
63A	DHMGDTPF063	1,680/-	DHMGDFPF063	2,155/-



Higher Rating MCB (80 to 125A) 'C' Series,

(In accordance with IEC 60947-2) 240/415V, 50 Hz, 10kA

Rating	SP Cat. No.	MRP ₹	DP Cat. No.	MRP ₹
80A	DHMJCSPF080	1,735/-	DHMJCDPF080	3,795/-
100A	DHMJCSPF100	1,960/-	DHMJCDPF100	3,930/-
125A	DHMJCSPF125	2,155/-	DHMJCDPF125	4,490/-
Rating	TP Cat. No.	MRP ₹	FP Cat. No.	MRP ₹
80A	DHMJCTPF080	5,545/-	DHMJCFFPF080	6,915/-
100A	DHMJCTPF100	5,880/-	DHMJCFFPF100	7,615/-
125A	DHMJCTPF125	6,620/-	DHMJCFFPF125	8,085/-

Time Switch



Time Switch

Description	Cat. No.	MRP ₹
Programmable Time Switch 24 Hour	DHTDD15016	2,335/-
Digital Weekly Programmable Time Switch	DHTAW01016	2,185/-
Astronomical Weekly Programmable Time Switch	DHTBW01006	2,520/-
Staircase Light Time Switch (0.5-20 Min)	DHTCNX5016	1,160/-

Mini MCB



Mini MCB

'C' Series (In accordance with IS/IEC 60898-1) 240/415V, 50Hz, 3kA

Rating	SP Cat. No.	MRP ₹	DP Cat. No.	MRP ₹
6A-32A	DHMNCSPA006-032	135/-	DHMNCSPA006-032	290/-

Mini DP Isolator

In accordance with IS/IEC 60947-3, 240/415, 50Hz

Rating	DP Cat. No.	MRP ₹
40A	DHMNIDPX040	350/-

'DC' Series MCB



'DC' Series MCB

For DC Supply, upto 220V

Rating	SP Cat. No.	MRP ₹	DP Cat. No.	MRP ₹
0.5-5A	DHMCESPF0x50013 - 0050013	360/-	DHMCEDPF0x50013 - 0050013	850/-
6-32A	DHMCESPF0060013 - 0320013	350/-	DHMCEDPF0060013 - 0350013	685/-
40A	DHMCESPF0400013	465/-	DHMCEDPF0400013	980/-
50A	DHMCESPF0500013	550/-	DHMCEDPF0500013	1,090/-
63A	DHMCESPF0630013	550/-	DHMCEDPF0630013	1,090/-



'DC' Series MCB

For Railway Applications (with extended terminals & mounting brackets)

Rating	SP Cat. No.	MRP ₹
0.5-5A	DHMCRSPF0x50013 - 0050013	390/-
6-35A	DHMCRSPF0060013 - 0350013	375/-
40A	DHMCRSPF0400013	505/-
50A	DHMCRSPF0500013	545/-
60A	DHMCRSPF0600013	545/-

Suitable for Railway application as per RDSO, Drg. SKEL. 3700 alt-1 and specification No. SPEC/E-12/1/04 (with extended terminals and mounting brackets)

MCB Isolator



MCB ISOLATOR (Switching Devices)

MCB Isolators (AC-22A, In accordance with IS/IEC 60947-3) 240/415, 50Hz

Rating	SP Cat. No.	MRP ₹	DP Cat. No.	MRP ₹
40A	DHMGISPX040	275/-	DHMGIDPX040	390/-
63A	DHMGISPX063	320/-	DHMGIDPX063	500/-
80A	-	-	DHMGIDPX080	650/-
100A	-	-	DHMGIDPX100	650/-
125A	-	-	DHMGIDPX125	710/-
Rating	TP Cat. No.	MRP ₹	FP Cat. No.	MRP ₹
40A	DHMGITPX040	780/-	DHMGIFPX040	920/-
63A	DHMGITPX063	885/-	DHMGIFPX063	910/-
80A	DHMGITPX080	1,045/-	DHMGIFPX080	1,200/-
100A	DHMGITPX100	1,045/-	DHMGIFPX100	1,200/-
125A	DHMGITPX125	1,085/-	DHMGIFPX125	1,290/-

MCB Changeover



Two Way Centre Off Changeover Switch

For Dual Electricity Supply Management (In accordance with IS/IEC 60947-3)

Rating	DP Cat. No.	MRP ₹	FP Cat. No.	MRP ₹
25A	DHMGODPX025	1,235/-	DHMGOFPX025	2,175/-
40A	DHMGODPX040	1,780/-	DHMGOFPX040	3,300/-
63A	DHMGODPX063	2,130/-	DHMGOFPX063	3,995/-

RCCB - 'AC' Type



RCCB - 'AC' Type

(In accordance with IS 12640-1 & IEC 61008-1) 240/415, 50Hz with 6kA short circuit withstand capacity

Rating (DP)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
16A	DHRGCTDF030016	2,560/-	DHRGCTDF100016	2,500/-	DHRGCTDF300016	2,500/-
25A	DHRGCTDF030025	2,560/-	DHRGCTDF100025	2,500/-	DHRGCTDF300025	2,500/-
32A	DHRGCTDF030032	2,580/-	DHRGCTDF100032	2,550/-	DHRGCTDF300032	2,580/-
40A	DHRGCTDF030040	2,580/-	DHRGCTDF100040	2,550/-	DHRGCTDF300040	2,580/-
63A	DHRGCTDF030063	3,380/-	DHRGCTDF100063	3,380/-	DHRGCTDF300063	3,380/-
Rating (FP)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
25A	DHRGCRFF030025	3,190/-	DHRGCRFF100025	3,090/-	DHRGCRFF300025	3,090/-
40A	DHRGCRFF030040	3,215/-	DHRGCRFF100040	3,145/-	DHRGCRFF300040	3,145/-
63A	DHRGCRFF030063	3,390/-	DHRGCRFF100063	3,390/-	DHRGCRFF300063	3,390/-

Higher Rating RCCB



Higher Rating RCCB (80-100A) DP

(In accordance with IS 12640-1 & IEC 61008-1) 240/415, 50Hz with 10kA short circuit withstand capacity

Rating (DP)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
80A	DHRMCMDF030080	5,220/-	DHRMCMDF100080	5,220/-	DHRMCMDF300080	5,220/-
100A	DHRMCMDF030100	5,300/-	DHRMCMDF100100	5,300/-	DHRMCMDF300100	5,300/-
Rating (FP)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
80A	DHRMCMFF030080	5,480/-	DHRMCMFF100080	5,480/-	DHRMCMFF300080	5,480/-
100A	DHRMCMFF030100	5,620/-	DHRMCMFF100100	5,620/-	DHRMCMFF300100	5,620/-

RCCB - 'A' Type

(In accordance with IS 12640-1 & IEC 61008-1) 240/415, 50Hz with 6kA short circuit withstand capacity



Rating (DP)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
16A	DHRMAMDF030016	3,045/-	DHRMAMDF100016	2,940/-	DHRMAMDF300016	2,940/-
25A	DHRMAMDF030025	3,045/-	DHRMAMDF100025	2,940/-	DHRMAMDF300025	2,940/-
32A	DHRMAMDF030032	3,200/-	DHRMAMDF100032	3,130/-	DHRMAMDF300032	3,130/-
40A	DHRMAMDF030040	3,200/-	DHRMAMDF100040	3,130/-	DHRMAMDF300040	3,130/-
63A	DHRMAMDF030063	3,850/-	DHRMAMDF100063	3,730/-	DHRMAMDF300063	3,730/-
Rating (FP)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
16A	DHRMAMFF030016	3,720/-	DHRMAMFF100016	3,610/-	DHRMAMFF300016	3,610/-
25A	DHRMAMFF030025	3,730/-	DHRMAMFF100025	3,610/-	DHRMAMFF300025	3,610/-
32A	DHRMAMFF030032	3,670/-	DHRMAMFF100032	3,550/-	DHRMAMFF300032	3,550/-
40A	DHRMAMFF030040	3,670/-	DHRMAMFF100040	3,550/-	DHRMAMFF300040	3,550/-
63A	DHRMAMFF030063	3,910/-	DHRMAMFF100063	3,845/-	DHRMAMFF300063	3,845/-

RCBO - A Type



RCBO - A Type (SPN - 2M)

(In accordance with IS 12640-2 & IEC 61009-1) 240/415V, 50Hz, with 10 kA short circuit capacity

Rating (SPN)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
6A	DHCEACSN2030006	3,150/-	DHCEACSN2100006	3,150/-	DHCEACSN2300006	3,150/-
10A	DHCEACSN2030010	3,150/-	DHCEACSN2100010	3,150/-	DHCEACSN2300010	3,150/-
16A	DHCEACSN2030016	3,150/-	DHCEACSN2100016	3,150/-	DHCEACSN2300016	3,150/-
20A	DHCEACSN2030020	3,150/-	DHCEACSN2100020	3,150/-	DHCEACSN2300020	3,150/-
25A	DHCEACSN2030025	3,150/-	DHCEACSN2100025	3,150/-	DHCEACSN2300025	3,150/-
32A	DHCEACSN2030032	3,150/-	DHCEACSN2100032	3,150/-	DHCEACSN2300032	3,150/-
40A	DHCEACSN2030040	3,885/-	DHCEACSN2100040	3,885/-	DHCEACSN2300040	3,885/-

RCBO - A Type (TPN - 4M)

(In accordance with IS 12640-2 & IEC 61009-1) 240/415V, 50Hz, with 10 kA short circuit capacity



Rating (TPN)	30mA Cat. No.	MRP ₹	100mA Cat. No.	MRP ₹	300mA Cat. No.	MRP ₹
6A	DHCEACTN4030006	4,045/-	DHCEACTN4100006	4,045/-	DHCEACTN4300006	4,045/-
10A	DHCEACTN4030010	4,045/-	DHCEACTN4100010	4,045/-	DHCEACTN4300010	4,045/-
16A	DHCEACTN4030016	4,045/-	DHCEACTN4100016	4,045/-	DHCEACTN4300016	4,045/-
20A	DHCEACTN4030020	4,045/-	DHCEACTN4100020	4,045/-	DHCEACTN4300020	4,045/-
25A	DHCEACTN4030025	4,045/-	DHCEACTN4100025	4,045/-	DHCEACTN4300025	4,045/-
32A	DHCEACTN4030032	4,045/-	DHCEACTN4100032	4,045/-	DHCEACTN4300032	4,045/-
40A	DHCEACTN4030040	4,305/-	DHCEACTN4100040	4,305/-	DHCEACTN4300040	4,305/-

ACCL

TPN ACCL (TPN/SPN) (Automatic Source Changeover with Current Limiter)

Gen Rating	Description	Cat. No.	MRP ₹	Cat. No. with GEN Start/Stop	MRP ₹
20A	40A/20A TPN/SPN ACCL	DHACOTN4020	10,660/-	DHACWTN4020	10,920/-
25A	40A/25A TPN/SPN ACCL	DHACOTN4025	10,660/-	DHACWTN4025	10,920/-
30A	40A/30A TPN/SPN ACCL	DHACOTN4030	10,660/-	DHACWTN4030	10,920/-
40A	40A/40A TPN/SPN ACCL	DHACOTN4040	10,660/-	DHACWTN4040	10,920/-
20A	63A/20A TPN/SPN ACCL	DHACOTN6320	15,860/-	DHACWTN6320	16,120/-
25A	63A/25A TPN/SPN ACCL	DHACOTN6325	15,860/-	DHACWTN6325	16,120/-
30A	63A/30A TPN/SPN ACCL	DHACOTN6330	15,860/-	DHACWTN6330	16,120/-
40A	63A/40A TPN/SPN ACCL	DHACOTN6340	15,860/-	DHACWTN6340	16,120/-
63A	80A/63A TPN/SPN ACCL	DHACOTN8063	26,000/-	-	-



TPN ACCL (TPN/TPN) (Automatic Source Changeover with Current Limiter)

Gen Rating	Description	Cat. No.	MRP ₹	Cat. No. with GEN Start/Stop	MRP ₹
20A	40A/20A TPN/TPN ACCL	DHACOTT4020	10,920/-	DHACWTT4020	11,440/-
25A	40A/25A TPN/TPN ACCL	DHACOTT4025	10,920/-	DHACWTT4025	11,440/-
30A	40A/30A TPN/TPN ACCL	DHACOTT4030	10,920/-	DHACWTT4030	11,440/-
40A	40A/40A TPN/TPN ACCL	DHACOTT4040	10,920/-	DHACWTT4040	11,440/-
20A	63A/20A TPN/TPN ACCL	DHACOTT6320	16,120/-	DHACWTT6320	16,640/-
25A	63A/25A TPN/TPN ACCL	DHACOTT6325	16,120/-	DHACWTT6325	16,640/-
30A	63A/30A TPN/TPN ACCL	DHACOTT6330	16,120/-	DHACWTT6330	16,640/-
40A	63A/40A TPN/TPN ACCL	DHACOTT6340	16,120/-	DHACWTT6340	16,640/-
63A	80A/63A TPN/TPN ACCL	DHACOTT8063	27,050/-	-	-



3 Module SPN ACCL (Automatic Source Changeover with Current Limiter)

Mains Rating	Gen Rating	Product Code	Description	MRP ₹
SPN 30 (6000 W)	SPN 1.5 (300W)	DHADOSN301X	30A/1.5A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 2.5 (500W)	DHADOSN302X	30A/2.5A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 3 (600W)	DHADOSN3003	30A/03A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 4 (800W)	DHADOSN3004	30A/4A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 5 (1000W)	DHADOSN3005	30A/5A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 6 (1200W)	DHADOSN3006	30A/06A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 9 (1800W)	DHADOSN3009	30A/09A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 12 (2400W)	DHADOSN3012	30A/12A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 15 (3000W)	DHADOSN3015	30A/15A ACCL W/O GEN START/STOP	1,460/-
SPN 30 (6000 W)	SPN 20 (4000W)	DHADOSN3020	30A/20A ACCL W/O GEN START/STOP	1,460/-



Premium SPN ACCL (Automatic Source Changeover with Current Limiter)

Gen Rating	Description	Cat. No. w/o GEN Start/Stop	MRP ₹	Cat. No. with GEN Start/Stop	MRP ₹
SPN 1.5 (300W)	30A/1.5A ACCL	DHABOSN301X	1,800/-	-	-
SPN 2.5 (500W)	30A/2.5A ACCL	DHABOSN302X	1,800/-	-	-
SPN 3 (600W)	30A/03A ACCL	DHABOSN3003	1,800/-	DHABWSN3003	2,010/-
SPN 4 (800W)	30A/4A ACCL	DHABOSN3004	1,800/-	-	-
SPN 5 (1000W)	30A/5A ACCL	DHABOSN3005	1,800/-	-	-
SPN 6 (1200W)	30A/06A ACCL	DHABOSN3006	1,800/-	DHABWSN3006	2,010/-
SPN 9 (1800W)	30A/09A ACCL	DHABOSN3009	1,800/-	DHABWSN3009	2,010/-
SPN 12 (2400W)	30A/12A ACCL	DHABOSN3012	1,800/-	DHABWSN3012	2,010/-
SPN 15 (3000W)	30A/15A ACCL	DHABOSN3015	1,800/-	DHABWSN3015	2,010/-
SPN 20 (4000W)	30A/20A ACCL	DHABOSN3020	1,800/-	DHABWSN3020	2,010/-



Automatic Changeover

Gen Rating	Description	Cat. No. w/o GEN Start/Stop	MRP ₹	Cat. No. with GEN Start/Stop	MRP ₹
SPN 30 (6000 W)	SPN 30 (6000 W)	DHAAOSN3030	1,700/-	DHAAWSN3030	1,860/-
SPN 63 (12600 W)	SPN 63 (12600 W)	DHAAOSN6363	4,000/-	DHAAWSN6363	4,100/-



Metalica DB

METALICA

Distribution Boards


No more hiding.



Sparkling White



Sparkling Gold



Silverish Grey

**SPN Metalica Distribution Board**

No. of Ways	Sparkling White SPN Cat. No.	Sparkling Gold SPN Cat. No.	Silverish Grey SPN Cat. No.	MRP ₹
4	DHDNSHODAW04	DHDNSHODGW04	DHDNSHODDW04	1,405/-
6	DHDNSHODAW06	DHDNSHODGW06	DHDNSHODDW06	1,590/-
8	DHDNSHODAW08	DHDNSHODGW08	DHDNSHODDW08	1,815/-
12	DHDNSHODAW12	DHDNSHODGW12	DHDNSHODDW12	2,190/-
16	DHDNSHODAW16	DHDNSHODGW16	DHDNSHODDW16	2,860/-

**TPN Metalica Distribution Board**

No. of Ways	Sparkling White TPN Cat. No.	Sparkling Gold TPN Cat. No.	Silverish Grey TPN Cat. No.	MRP ₹
4	DHDNTHODAW04	DHDNTHODGW04	DHDNTHODDW04	3,545/-
6	DHDNTHODAW06	DHDNTHODGW06	DHDNTHODDW06	4,455/-
8	DHDNTHODAW08	DHDNTHODGW08	DHDNTHODDW08	5,820/-
12	DHDNTHODAW12	DHDNTHODGW12	DHDNTHODDW12	8,585/-

Phase Selector

**Phase Selector (Horizontal - 4 Quadrant)**

(with rotary switches, duly wired)

No. of Ways	Rating	Regal Grey Cat. No. (DD)	I/C	MRP ₹
4	40A	DHDSCHDRZ04040	Eight way	7,370/-
4	63A	DHDSCHDRZ04063	Eight way	9,870/-
6	40A	DHDSCHDRZ06040	Eight way	8,170/-
6	63A	DHDSCHDRZ06063	Eight way	10,205/-
8	40A	DHDSCHDRZ08040	Eight way	8,620/-
8	63A	DHDSCHDRZ08063	Eight way	11,115/-

**Phase Selector (Vertical)**

(with rotary switches, duly wired & provision for 8W I/C)

No. of Ways	Rating	Regal Grey Cat. No. (DD)	Pearl Ivory Cat. No. (DD)	MRP ₹
4	40A	DHDSNVDRZ04040	DHDSNVDPZ04040	9,415/-
4	63A	DHDSNVDRZ04063	DHDSNVDPZ04063	11,115/-
6	40A	DHDSNVDRZ06040	DHDSNVDPZ06040	9,530/-
6	63A	DHDSNVDRZ06063	DHDSNVDPZ06063	11,230/-
8	40A	DHDSNVDRZ08040	DHDSNVDPZ08040	10,545/-
8	63A	DHDSNVDRZ08063	DHDSNVDPZ08063	11,795/-

**Automatic Phase Selector DB**

No. of Ways	Cat. No.	Description	MRP ₹
4	DHDANVDRZ04032	Auto Ph-Sel DB 4W D/D 32A	12,125/-
6	DHDANVDRZ06032	Auto Ph-Sel DB 6W D/D 32A	14,640/-



Phase Selector Enclosure (Vertical)

(with rotary switches, duly wired)

Rating	Regal Grey Cat. No.	MRP ₹
40A	DHDATVFS40	3,625/-
63A	DHDATVFS63	5,270/-



Automatic Phase Selector Unit

Rating* **	Cat. No.	MRP ₹
32A*	DHDAMHSCZ00032	11,090/-

Note: Supplied with 63 A, 4 P MCB as incomer.

* Changeover Capacity Per Phase

** 63A Current Carrying Capacity Per Phase

Designer DB



DBOXx SPN & TPN

The New Style Statement for your DBs

No. of Ways	SPN Cat. No.	MRP ₹	No. of Ways	TPN Cat. No.	MRP ₹
8	DHDPHSDPC08	1,635/-	4/6	DHDPTHODPC06	4,100/-
12	DHDPHSDPC12	2,125/-	8	DHDPTHODPC08	5,200/-
16	DHDPHSDPC16	2,725/-	12	DHDPTHODPC12	7,490/-



Translucent Designer Distribution Boards

No. of Ways	Cat. No. Single Phase (DD)	MRP ₹
4	DHDPHSHODRC04	1,425/-
8	DHDPHSHODRC08	1,875/-
12	DHDPHSHODRC12	2,515/-
16	DHDPHSHODRC16	3,110/-



Transparent

No. of Ways	Cat. No. Single Phase (DD)	MRP ₹	No. of Ways	Cat. No. Three Phase (DD)	MRP ₹
4	DHDPHSHODRT04	1,660/-	4	DHDNTHODRT04	5,025/-
8	DHDPHSHODRT08	2,270/-	8	DHDNTHODRT08	7,295/-
12	DHDPHSHODRT12	3,055/-	12	-	-
16	DHDPHSHODRT16	3,680/-	16	-	-

QVE Series DB



SP&N

No. of Ways	O/G	Regal Grey Cat. No. (SD)	MRP ₹	Regal Grey Cat. No. (DD)	Pearl Ivory Cat. No. (DD)	MRP ₹
4	4	DHDPHSHOSRW04	795/-	DHDPHSHODRW04	DHDPHSHODPW04	1,230/-
6	6	DHDPHSHOSRW06	880/-	DHDQSHODRW06	DHDQSHODPW06	1,430/-
8	8	DHDPHSHOSRW08	950/-	DHDPHSHODRW08	DHDPHSHODPW08	1,585/-
12	12	DHDPHSHOSRW12	1,285/-	DHDPHSHODRW12	DHDPHSHODPW12	1,930/-
16	16	DHDPHSHOSRW16	1,590/-	DHDPHSHODRW16	DHDPHSHODPW16	2,565/-



TP&N (for Single Phase Outgoing) suitable for MCB / RCCB / Isolator as incomer

No. of Ways	I/C+O/G	Regal Grey Cat. No. (SD)	MRP ₹	Regal Grey Cat. No. (DD)	Pearl Ivory Cat. No. (DD)	MRP ₹
4	4+12	DHDQTHCSRW04	2,275/-	DHDNTHCDRW04	DHDNTHCDPW04	3,020/-
6	8+18	DHDQTHCSRW06	2,760/-	DHDNTHCDRW06	DHDNTHCDPW06	3,760/-
8	8+24	DHDQTHCSRW08	3,180/-	DHDNTHCDRW08	DHDNTHCDPW08	4,835/-
12	8+36	DHDQTHCSRW12	4,135/-	DHDNTHCDRW12	DHDNTHCDPW12	7,140/-



TP&N (for Single Phase Outgoing) suitable for TPN RCBO as incomer

No. of Ways	I/C+O/G	Regal Grey Cat. No. (SD)	MRP ₹	Regal Grey Cat. No. (DD)	Pearl Ivory Cat. No. (DD)	MRP ₹
4	4+12	DHDPTHOSRW04	2,390/-	DHDPTHODRW04	DHDPTHODPW04	3,180/-
6	8+18	DHDPTHOSRW06	2,905/-	DHDPTHODRW06	DHDPTHODPW06	3,960/-
8	8+24	DHDPTHOSRW08	3,345/-	DHDPTHODRW08	DHDPTHODPW08	5,090/-
12	8+36	DHDPTHOSRW12	4,355/-	DHDPTHODRW12	DHDPTHODPW12	7,510/-

Consumer Units



Single Door with Acrylic Window

Sheet Steel, Phosphatised, Powder Painted MCB DBs with Bus Bar, Neutral Link, Earth Bar and Din Rail (In accordance with IS 13032, IS 8623, IEC/BSEN 60439-3)

No. of Ways	Regal Grey Cat. No.	MRP ₹
4	DHDMSHOSRA04	980/-
8	DHDMSHOSRA08	1,215/-
12	DHDMSHOSRA12	1,560/-
16	DHDMSHOSRA16	1,955/-



Single Door Consumer unit without MCB & Isolator

No. of Ways	Regal Grey Cat. No.	MRP ₹
2+4	DHDCSHOSRW04	1,020/-
2+8	DHDCSHOSRW08	1,365/-
2+12	DHDCSHOSRW12	1,645/-

TP&N Vertical



TP&N Vertical

No. of Ways	I/C+O/G	Single Door	MRP ₹	Double Door	MRP ₹
4	8+12	DHDMTVOSRW04	5,775/-	DHDPTVODRW04	8,170/-
8	8+24	DHDMTVOSRW08	8,085/-	DHDPTVODRW08	10,195/-
12	8+36	DHDMTVOSRW12	10,385/-	DHDPTVODRW12	13,450/-

TP&N Vertical Loadline

Loadline DBs are fitted with Bus Bars, Neutral Links, Blanking Plates (without MCCB)

No. of Ways	Cat. No.	Description	MRP ₹
SINGLE DOOR			
SUITABLE FOR TP 'G FRAME' MCCB			
4	DHDLVSRWGOFO04	DB LL 4W SD VERT W/O MCCB	6,920/-
8	DHDLVSRWGOFO08	DB LL 8W SD VERT W/O MCCB	8,845/-
12	DHDLVSRWGOFO12	DB LL 12W SD VERT W/O MCCB	10,775/-
DOUBLE DOOR			
SUITABLE FOR TP 'G FRAME' MCCB			
4	DHDLVDRWGOFO04	DB LL 4W DD VERT W/O MCCB	8,735/-
8	DHDLVDRWGOFO08	DB LL 8W DD VERT W/O MCCB	10,095/-
12	DHDLVDRWGOFO12	DB LL 12W DD VERT W/O MCCB	11,905/-
DOUBLE DOOR			
SUITABLE FOR TP/FP 'A FRAME' MCCB			
4	DHDLVDRWAOF004	DB LL 4W DD VERT W/O MCCB	10,095/-
8	DHDLVDRWAOF008	DB LL 8W DD VERT W/O MCCB	13,155/-
12	DHDLVDRWAOF012	DB LL 12W DD VERT W/O MCCB	17,010/-

Note: (i) MCBs & Accessories Should Be Selected And Purchased Separately
(ii) For Any Other Configuration Contact Us
(iii) For Appropriate MCCB Price, Please see Havells IP Price List

7 Segment



7 Segment

No. of Ways	Regal Grey Cat. No. (DD).	MRP ₹
4	DHDMTHDDR04	7,035/-
6	DHDMTHDDR06	8,395/-
8	DHDMTHDDR08	10,765/-
12	DHDMTHDDR12	11,815/-

IP 54



SP&N (IP 54)

No. of Ways	Description	Horizontal Cat. No.	MRP ₹
4	SPN DB DD 04W	DHDMSHODRW040002	5,315/-
8	SPN DB DD 08W	DHDMSHODRW080002	6,120/-
12	SPN DB DD 12W	DHDMSHODRW120002	7,275/-

TP&N (IP 54)

No. of Ways	Description	Horizontal Cat. No.	MRP ₹	Vertical Cat. No.	MRP ₹
4	TPN DB DD 04W	DHDMTHODRW040002	8,430/-	-	-
8	TPN DB DD 08W	DHDMTHODRW080002	11,090/-	DHDMTVODR080002	21,715/-
12	TPN DB DD 12W	DHDMTHODRW120002	15,360/-	DHDMTVODR120002	25,415/-

Prewired

SP&N Prewired
(with cable end box)

No. of Ways	IC/OG	DD Cat. No.	MRP ₹*
6	2+6	DHDMSHMLRW06	4,275/-
8	2+8	DHDMSHMLRW08	4,980/-
10	2+10	DHDMSHMLRW10	6,310/-
12	2+12	DHDMSHMLRW12	7,420/-
16	2+16	DHDMSHMLRW16	8,400/-

TP&N Prewired

No. of Ways	IC/OG	DD Cat. No. (without cable end box)	MRP ₹*	DD Cat. No. (with cable end box)	MRP ₹*
4	8+12	DHDMTHMKDRA04	8,820/-	DHDMTHMLXW04	9,160/-
6	8+18	DHDMTHMKDRA06	10,625/-	DHDMTHMLXW06	10,975/-
8	8+24	DHDMTHMKDRA08	12,220/-	DHDMTHMLXW08	12,690/-
12	8+36	DHDMTHMKDRA12	14,765/-	DHDMTHMLXW12	14,770/-

Per Phase Isolation



Per Phase Isolation (PPI) Vertical - 4 Tier

No. of Ways	I/C + O/G	Regal Grey Cat. No. (DD).	MRP ₹
2+8	4+6+24	DHDPTVPDRW08	9,240/-
2+12	4+6+36	DHDPTVPDRW12	11,435/-

Per Phase Isolation (PPI) Horizontal- QVE Series suitable for MCB / RCCB / Isolator as incomer

No. of Ways	I/C + O/G	Regal Grey Cat. No. (DD)	MRP ₹
2+4	4+6+12	DHDNTHPDRW04	4,465/-
2+6	4+6+18	DHDNTHPDRW06	5,810/-
2+8	4+6+24	DHDNTHPDRW08	6,930/-

Home Safe



(Mini DP MCB with Enclosure)

Description	DP Cat. No.	MRP ₹
DP C 06-32A mini MCB with enclosure	DHMPCDPA006-32	350/-

DBOXx Combo



DBOXx MCB Protected Socket

Rating	Cat. No.	Description	MRP ₹
(With Sheet Steel Enclosure)			
16A	DHDMCSN0251016	16A MCB DBOXX COMBO	635/-
20A	DHDMCSN0251020	20A MCB DBOXX COMBO	635/-
25A	DHDMCSN0251025	25A MCB DBOXX COMBO	635/-
16A	DHDMCDP0253016	16A MCB DBOXX COMBO DP	830/-
20A	DHDMCDP0253020	20A MCB DBOXX COMBO DP	830/-
25A	DHDMCDP0253025	25A MCB DBOXX COMBO DP	830/-
With Plastic Enclosure (for surface mounting)			
16A	DHDTCSN0251016	16A MCB DBOXX COMBO Plastic	635/-
20A	DHDTCSN0251020	20A MCB DBOXX COMBO Plastic	635/-
25A	DHDTCSN0251025	25A MCB DBOXX COMBO Plastic	635/-
Without Enclosure			
16A	DHDWCSN0251016	16A MCB DBOXX COMBO W/O ENCL.	565/-
20A	DHDWCSN0251020	20A MCB DBOXX COMBO W/O ENCL.	565/-
25A	DHDWCSN0251025	25A MCB DBOXX COMBO W/O ENCL.	565/-
16A	DHDWCM30251016	16A MCB DBOXX COMBO 3M W/O ENCL.	535/-
20A	DHDWCM30251020	20A MCB DBOXX COMBO 3M W/O ENCL.	535/-
25A	DHDWCM30251025	25A MCB DBOXX COMBO 3M W/O ENCL.	535/-

DBOXx MCB Protected Power Unit

Rating	Description	Cat. No.	MRP ₹
16-25A	16A-25A MCB Protected Power Unit	DHDUCDP0253016-25	1,040/-

DBOXx Plug and Socket

Rating	Description	Cat. No.	MRP ₹
20	Plug & Socket 20A DP With Plastic Cover	DHDCUDP020	815/-
20	Plug & Socket 20A SPN With Plastic Cover	DHDCUSN020	815/-

MCB Enclosure



MCB Enclosure (Cutout)

Sheet Steel, Phosphatised, Powder Painted MCB DBs with Din Rail (In accordance with IS 13032, IS 8623, IEC/BSEN 60439-3)

Plastic			Sheet Steel		
No. of Ways	Cat. No.	MRP ₹	No. of Ways	Cat. No.	MRP ₹
2	DHDEPDP	160/-	2	DHDESDP	355/-
4	DHDEFPF	235/-	4	DHDESFP	425/-

Plug & Socket Board

SP&N enclosure with 2 pole and Earth Metal Plug & Socket for incorporating 10A / 20A SPN / DP MCB			TP&N enclosure with 3 pole and Earth Metal Plug & Socket for Incorporating TP MCB		
Amp	Cat. No.	MRP ₹	Amp	Cat. No.	MRP ₹
20	DHDPUTN020/DHDPUTD020	815/-	30	DHDPUTN020 / DHDPUTN030	2,520/-



Accessories for DB's Cable End Box (For mounting on top or bottom of Distribution Box for extra wire & cables)

No. of Ways	Item	Cat No. (SD)	MRP (₹)	Cat No. (DD)	MRP (₹)
4	SP&N	DHDASHOS04	405/-	DHDASHOD04	555/-
8	SP&N	DHDASHOS08	530/-	DHDASHOD08	640/-
12	SP&N	DHDASHOS12	645/-	DHDASHOD12	780/-
16	SP&N	DHDASHOS16	760/-	DHDASHOD16	1,025/-
4	TP&N - Horizontal	DHDATHOS04	805/-	DHDATHOD04	855/-
6	TP&N - Horizontal	DHDATHOS06	920/-	DHDATHOD06	1,050/-
8	TP&N - Horizontal	DHDATHOS08	1,150/-	DHDATHOD08	1,265/-
12	TP&N - Horizontal	DHDATHOS12	1,495/-	DHDATHOD12	1,740/-
4/8/12	TP&N - Vertical	DHDATVOS04	1,265/-	DHDATVOD04	1,440/-
4/8/12	Loadline	DHDATVLS04	1,265/-	DHDATVLD04	1,380/-
2+8	PPI	DHDATVTS10	1,035/-	DHDATVTD10	1,150/-
2+12	PPI	DHDATVTS14	1,265/-	DHDATVTD14	1,380/-

Plastic Channels

Cat. No.	P-Channel Description	Where used in List	MRP (₹)
DSCPGMDBX099	SPN 12W Flat Grey	DHDSNVDRZ04040/63 DHDPTVPDRW08	275/-
DSCPGMDBX100	SPN 16W Flat Grey	DHDPTVODRW04/08/12 HDSNVDRZ06040 DHDSNVDRZ06063 DHDSNVDRZ08040/63 DHDPTVPDRW12	305/-
DSCPGMDBX105	SPN 12W Flat Ivory	DHDSNVDPZ04040/63	275/-
DSCPGMDBX106	SPN 16W Flat Ivory	DHDSNVDPZ06040/63 DHDSNVDPZ08040/63	305/-
DSCPGMDBX126	SPN 4W Curve Grey	DHDPSHODRW04	275/-
DSCPGMDBX127	SPN 8W Curve Grey	DHDPSHODRW08 DHDPTHODRW04	305/-
DSCPGMDBX128	SPN 12W Curve Grey	DHDPSHODRW12 DHDPTHODRW06	340/-
DSCPGMDBX129	SPN 16W Curve Grey	DHDPSHODRW16 DHDPTHODRW08	360/-
DSCPGMDBX131	TPN 12W Curve Grey	DHDPTHODRW12	425/-
DSCPGMDBX132	SPN 4W Curve Ivory	DHDPSHODPW04	305/-
DSCPGMDBX133	SPN 8W Curve Ivory	DHDPSHODPW08 DHDPTHODPW04	300/-
DSCPGMDBX134	SPN 12W Curve Ivory	DHDPSHODPW12 DHDPTHODPW06	340/-
DSCPGMDBX135	SPN 16W Curve Ivory	DHDPSHODPW16 DHDPTHODPW08	360/-
DSCPGMDBX137	TPN 12W Curve Ivory	DHDPTHODPW12	425/-

Plug & Sockets

Cat. No.	Description	MRP (₹)
DSSPLX0035	20 A DP PLUG ASSEMBLY	340/-
DSSPLX0036	20 A DP SOCKET ASSEMBLY	340/-
DSSPLX0037	30 A TP PLUG ASSEMBLY	720/-
DSSPLX0038	30 A TP SOCKET ASSEMBLY	720/-

Rotary Switch

Cat. No.	Description	MRP (₹)
DSCCPAMCX010	40A PHASE-SEL. SWITCH	605/-
DSCCPAMCX009	63A PHASE-SEL. SWITCH	895/-

Auxiliary Contact (Factory Fitted)

Rating	Cat No.	MRP ₹
2-4A	DHMCCDPF00211-00411	905/-
6-32A	DHMCCDPF00611-03211	775/-
40A	DHMCCDPF04011	965/-
63A	DHMCCDPF06311	1,090/-

Terms & Conditions: • Prices are in Indian ₹. • All prices are on Maximum Retail Price (MRP) basis inclusive of Excise Duty and VAT/Sales Tax. Freight / Delivery charges if paid by Havells shall be on behalf of customer only. • Goods are despatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers. • Disputes, if any are subject to Delhi jurisdiction only. • This Price List supersedes all our previous Price Lists. • Prices are subject to change without notice. • Company reserves the right to issue amendments, which may arise due to any errors in the price list.

Neutral Link & Earth Link

Neutral Link Cat. No.	Earth Link Cat. No.	Description	MRP (₹)
DSCBRCDXB002	-	2W P&S	150/-
DSCBRCDXB011	DSCBRCDXB006	SPN 4W	185/-
DSCBRCDXB090	DSCBRCDXB093	SPN 6W	210/-
DSCBRCDXB012	DSCBRCDXB007	SPN 8W	230/-
DSCBRCDXB013	DSCBRCDXB003	SPN 12W / TPN 4W	260/-
DSCBRCDXB014	DSCBRCDXB004	SPN 16W	295/-
DSCBRCDXB015	DSCBRCDXB005	TPN 6W	340/-
DSCBRCDXB016	DSCBRCDXB009	TPN 8W	380/-
DSCBRCDXB017	DSCBRCDXB008	TPN 12W	415/-

Copper Bus Bar

Cat. No.	Description	MRP (₹)
DSCCUPDBP028	BUSBAR SPN 4W	185/-
DSCCUPDBP032	BUSBAR SPN 6W	220/-
DSCCUPDBP029	BUSBAR SPN 8W	245/-
DSCCUPDBP030	BUSBAR SPN 12W	325/-
DSCCUPDBP031	BUSBAR SPN 16W	335/-

Miscellaneous

Cat. No.	Description	MRP (₹)
DSCPGMDBX019	N/L BASE	75/-
DSCPGMDBX001	Dummy (Blanking) Plate 18mm	25/-
DSCPGMDBX045	KNOB SNAP TYPE GREY	65/-
DSCPGMDBX046	KNOB SNAP TYPE PI	65/-
DSCCPAMCX005	GREEN INDICATOR SWITCH SMALL	75/-

Indicator Light (In accordance with IS/IEC 60947-5-1) 240V~, 50 Hz

Colour	TP Cat. No.	MRP ₹
Red	DHMCYSPX000	195/-
Amber	DHMCXSPX000	195/-
Blue	DHMCVSPX000	195/-
Green	DHMCZSPX000	195/-
Clear	DHMCWSPX000	195/-

Shunt Trip (Factory Fitted)

Rating	Cat No.	MRP ₹
32A, 24V DC	DHMCCDPF03222	420/-
32A, 240V AC	DHMCCDPF0322400	1,730/-

Scan the QR Code
to download
Havells mCatalogue



Havells India Ltd.

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (U.P), Ph. +91-120-3331000
Email: marketing@havells.com, www.havells.com
Consumer Care No.: 1800 11 0303 (Tollfree), 1800 103 1313 (All Connection), 011-4166 0303 (Landline)
Join us on Facebook at www.facebook.com/havells and share your ways to save planet!
CIN - L31900DL1983PLC016304

